BIOTECHNOI Y
SYSTEMS
BRANCH

RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: *10/799,320 A*

Source: *IFWO*

Date Processed by STIC: *8/10/04*

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE __CHECKER VERSION 4.2 PROGRAM__ ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):
   U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04

IFWO

RAW SEQUENCE LISTING   DATE: 08/10/2004
PATENT APPLICATION: US/10/799,320A   TIME: 12:22:31

Input Set : A:\2500us1p.ST25.seq.txt
Output Set: N:\CRF4\08102004\J799320A.raw

```
  3 <110> APPLICANT: SAIKAWA, Akira
  4        IGARI, Yasutaka
  5        HATA, Yoshio
  6        YAMAMOTO, Kazumichi
  8 <120> TITLE OF INVENTION: Sustained-Release Composition, Method of its Preparation and
Use Thereof
 10 <130> FILE REFERENCE: 2500US1P
 11 <140> CURRENT APPLICATION NUMBER: 10/799,320A
 12 <141> CURRENT FILING DATE: 2004-03-12
 15 <150> PRIOR APPLICATION NUMBER: 09/582,926
 16 <151> PRIOR FILING DATE: 2000-07-05
 18 <150> PRIOR APPLICATION NUMBER: PCT/JP99/00086
 19 <151> PRIOR FILING DATE: 1999-01-13
 21 <150> PRIOR APPLICATION NUMBER: JP 10-6412
 22 <151> PRIOR FILING DATE: 1998-01-16
 24 <160> NUMBER OF SEQ ID NOS: 5
 26 <170> SOFTWARE: PatentIn version 3.0
```

pp 1-3

Does Not Comply
Corrected Diskette Needed

ERRORED SEQUENCES

```
218 <210> SEQ ID NO: 5
219 <211> LENGTH: 9
220 <212> TYPE: PRT
221 <213> ORGANISM: artificial sequence
223 <220> FEATURE:
224 <223> OTHER INFORMATION: LH-RH derived peptides
226 <220> FEATURE:
227 <221> NAME/KEY: MOD_RES
228 <222> LOCATION: (1)..(1)
229 <223> OTHER INFORMATION: 5-oxo-Pro carboxy terminal
232 <220> FEATURE:
233 <221> NAME/KEY: MOD_RES
234 <222> LOCATION: (6)..(6)
235 <223> OTHER INFORMATION: X is DLeu
238 <220> FEATURE:
239 <221> NAME/KEY: MOD_RES
240 <222> LOCATION: (9)..(9)
241 <223> OTHER INFORMATION: Pro-NH-C2H5 amino terminal
244 <400> SEQUENCE: 5
246 Pro His Trp Ser Tyr Xaa Leu Arg Pro
247 1               5
252 1
```

delete - see pp 2-3

```
<210>   1
<211>   10
<212>   PRT
<213>   artificial sequence

<220>
<223>   LH-RH derived peptide

<220>
<221>   MOD_RES
<222>   (1)..(1)
<223>   5-oxo-Pro carboxy terminal

<220>
<221>   MOD_RES
<222>   (6)..(6)
<223>   DLeu, DAla, DTrp, DSer(tbut), D2Nal or Dhis(ImBzl)

<220>
<221>   MOD_RES
<222>   (10)..(10)
<223>   NH-C2H5 or Gly-NH2
```

IMPORTANT: Xaa can only represent a single amino acid

```
<400>   1

Pro His Trp Ser Tyr Xaa Leu Arg Pro Xaa
1               5                   10

<210>   2
<211>   11
<212>   PRT
<213>   artificial sequence

<220>
<223>   LH-RH antagonist derivatives

<220>
<221>   MOD_RES
<222>   (1)..(1)
<223>   N(4H2-furoyl)Gly or NAc
```

FYI: Xaa can only represent a single amino acid

```
<220>
<221>   MOD_RES
<222>   (2)..(2)
<223>   X is D2Nal

<220>
<221>   MOD_RES
<222>   (3)..(3)
<223>   X is D4ClPhe
```

```
<220>
<221>  MOD_RES
<222>  (4)..(4)
<223>  X is D3Pal
```

FYI! Xaa can only represent a single amino acid
Xaa can only represent a single amino acid

```
<220>
<221>  MOD_RES
<222>  (6)..(6)
<223>  NMeTyr, Tyr, Aph(Atz) or NMeAph(Atz)
```

```
<220>
<221>  MOD_RES
<222>  (7)..(7)
<223>  DLys(Nic), DCit, DLys(AzaGlyNic),
```

```
<220>
<221>  MOD_RES
<222>  (7)..(7)
<223>  DLys(AzaGlyFur), DhArg(Et2), DAph(Atz), or DhC
```

Xaa can only represent a single amino acid

```
<220>
<221>  MOD_RES
<222>  (9)..(9)
<223>  Lys(Nisp), Arg or HArg(Et2)
```

```
<220>
<221>  MOD_RES
<222>  (11)..(11)
<223>  X is DAlaNH2
```

```
<400>  2

Xaa Xaa Xaa Xaa Ser Xaa Xaa Leu Xaa Pro Xaa
1               5                   10
```

Input Set : A:\2500uslp.ST25.seq.txt
Output Set: N:\CRF4\08102004\J799320A.raw

```
11 M:283 W: Missing Blank Line separator, <140> field identifier
56 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
122 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
153 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
215 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
246 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
252 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:5
```